-	POPULATION ESTIMATES	LONG-TERM CARE	LOCAL HEALTH DEPARTMENTS			
	T. 0000 D. 11		Per			
	Total 2003 Population 45, 980	Community Options and MA Waiver	10,000			
	Denulation non aguage mile F2	as HSRS reports costs for services	Staffing - FTE Number Population			
	Population per square mile 53	Cliente	Total staff 19.5 4.2 Administrative 1.0 0.2 Public health nurses 7.0 1.5 Other prof. staff 3.5 0.8 Technical/Paraprof. 3.0 0.7 Support staff 5.0 1.1			
	County ranking i'n state (1-72) 34	COD Clients Costs	Dublic health purses 7.0 1.5			
	Age Female Male Total	COP 11 \$220, 191 MA Wai ver *	Other prof staff 2.5 0.9			
	0-14 4, 120 4, 350 8, 480	CI D1Δ	Technical /Parancof 3.0 0.7			
	15-19 1, 670 1, 820 3, 490	CLP1B 156 \$2.547.330	Support staff 5.0 1.1			
	20-24 1, 390 1, 480 2, 860	CLP2 11 \$158 231	Support Starr 0.0 1.1			
1	25-29 1, 180 1, 190 2, 370	COP-W 67 \$626, 604	Funding Per capita			
ı	30-34 1, 240 1, 280 2, 510	CIP1A 17 \$916, 735 CIP1B 156 \$2, 547, 330 CIP2 11 \$158, 231 COP-W 67 \$626, 604 CSLA 0 \$0 Brain Injury 4 \$277, 782 Total COP/Wvrs 266 \$4, 526, 682	Fundi ng Per capi ta Total \$1, 233, 495 \$26. 88 Local Taxes \$633, 221 \$13. 80			
ı	35-39 1,500 1,540 3,040	Brain Injury 4 \$277,782	Local Taxes \$633, 221 \$13.80			
1	40-44 1, 850 1, 870 3, 730	Total COP/Wvrs 266 \$4,526,682				
	45-54 3, 410 3, 490 6, 910		LI CENSED ESTABLI SHMENTS			
	55-64 2, 550 2, 490 5, 050	\$271,950 of the above wai ver costs				
	65-74 1, 950 1, 720 3, 660	were paid as local match/overmatch	Type Capacity Facilities			
	75-84 1,570 1,140 2,700	using COP funds. This amount is	Bed & Breakfast 26 9			
	85+ 790 380 1, 170	not included in above COP costs.	Camps 1, 628 40			
	Total 23, 210 22, 760 45, 980	* Waiver eacts reported here	Hotels, Motels 1,485 /5			
	Age Female Male Total	* Wai ver costs reported here include federal funding.	Type Capacity Facilities Bed & Breakfast 26 9 Camps 1,628 40 Hotels, Motels 1,485 75 Tourist Rooming 103 39 Pools 12			
	0-17 5, 090 5, 410 10, 510	The due rederal runding.	Restaurants 240			
	18-44 7, 860 8, 120 15, 970	Clients Costs	Vending 7			
	45-64 5, 960 5, 980 11, 960	Fligible and	vending			
1	45-64 5, 960 5, 980 11, 960 65+ 4, 310 3, 240 7, 530	Eligible and Waiting 152 n/a				
	Total 23, 210 22, 760 45, 980	g				
ı		(Family Care not provided in county)	WIC PARTICIPANTS			
İ	Poverty Estimates for 2000					
	Estimate (C.I.+/-)		Number			
	All ages 3, 967 197	Note: Eligible and waiting clients	Pregnant/Postpartum 551			
	8.8% (5%)	will be phased into the COP and MA	Infants 545			
	All ages 3, 967 197 8. 8% (5%) Ages 0-17 1, 238 93 10. 9% (8%)	Waivers as available.	Children, age 1-4 750 Total 1,846			
	10.9% (8%)		Total 1, 846			
	EMPLOYMENT		CANCER INCIDENCE (2002)			
	Average wage for jobs covered	Home Health Agencies 1	Primary Site			
Hí	by unemployment compensation \$25,063	Pati ents 541	Breast 26			
- ['	(place of work)	Patients per 10,000 pop. 118	Cervi cal 0			
ı	Δnnual	1 d t l c l t 3 pc l 10,000 pop.	Col orectal 22			
-	Labor Force Estimates Average	Nursing Homes 8	Lung and Bronchus 21			
- [Nursing Homes 8 Licensed beds 528 Occupancy rate 85.8% Residents on Dec. 31 450	Prostate 35			
İ	Civilian Labor Force 26,089	Occupancy rate 85.8%	Other sites 98			
	Number employed 24,534	Residents on Dec. 31 450	Total 202			
	Number unemployed 1,555	Residents age 65 or older				
	Civilian Labor Force 26,089 Number employed 24,534 Number unemployed 1,555 Unemployment rate 6.0%	per 1,000 population 58	Note: Totals shown are for			
			i nvasi ve cancers only.			
_						

			NATA	N I I I Y				
TOTAL LIVE BIRTHS		540	Birth Order			Marital Status		
Crude Live Birth Rate 11.7 General Fertility Rate 61.2 Live births with reported congenital anomalies 6 1.1%			222	12		Ri rths	Percent	
		Second	166	31		361		
		Thi rd	01	17				
		Fourth or higher	7 I 51	0	Unknown			
		Unknown	21	7	UTINTOWIT	U	U	
		UTIKTIOWIT	U	U	Education			
						D: mtha	Damaant	
Delivery Type Births Percent		1-t Dunantal Vi ai t	D:t	Damasant				
Delivery Type			1st Prenatal Visit			Elementary or les		
Vagi nal after previ ous cesarean Forceps	,	4	1st trimester	466	86	Some nigh school	59	11
_previ ous cesarean	6	1	2nd trimester	64	12	High school	210	39
Forceps	2	<5	3rd trimester	9	2	Some college	146	
Other vaginal Primary cesarean	377	70	No vi si ts	0		College graduate		
Primary cesarean	81	15	Unknown	1	<. 5	Unknown	0	0
Repeat cesarean	74	14						
			Prenatal Visits	Bi rths	Percent	Smoking Status		
Bi rthwei ght	Bi rths	Percent	No visits	0			Bi rths	
<1,500 gm	5	0. 9	1-4		3	Smoker	102	19
1,500-2,499 gm	32	5. 9	5-9	73	14	Nonsmoker	437	81
2,500+ am	503	93. 1	10-12		49	Unknown	1	<. 5
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	0	0	13+		35			
			Unknown					
-			·	•	•			
			Low Birthweight		Tri mest	er of First Prenatal	Visit	
			Low Birthweight (under 2.500 gm)	1st Tr	i mastar	2nd Trimester	Other	′Unknown
Race/Ethni ci ty	Births F	Percent	(under 2 500 am)	1st Tr Births	i mastar	2nd Trimester	Other	'Unknown Percent
Race/Ethni ci ty	518	96	(under 2 500 am)	1st Tr Births 448	i mastar	2nd Trimester	Other	'Unknown Percent 2
l White	518	96	(under 2 500 am)	1st Tr Births 448	i mastar	2nd Trimester	Other/ Bi rths 10	'Unknown Percent 2
White Black/Afr. American American Indian	518 5 4	96	(under 2 500 am)	1st Tr Births 448 2	i mastar	2nd Trimester	Other	'Unknown Percent 2
White Black/Afr. American American Indian	518 5 4	96	(under 2,500 gm) Births Percent 35 6.8 1 20.0	Bi rths 448 2 *	imester Percent 86 40	2nd Trimester Births Percent 60 12 3 60 * .	Other/ Bi rths 10	'Unknown Percent 2
White Black/Afr. American American Indian	518 5 4	96 1 1 2	(under 2,500 gm) Births Percent 35 6.8 1 20.0	Bi rths 448 2 * 11	i mastar	2nd Trimester Births Percent 60 12 3 60 * 1 8	Other/ Bi rths 10	'Unknown Percent 2
White Black/Afr. American American Indian	518 5 4	96 1 1 2 0	(under 2,500 gm) Births Percent 35 6.8 1 20.0	Bi rths 448 2 *	imester Percent 86 40	2nd Trimester Births Percent 60 12 3 60 * .	Other/ Bi rths 10	'Unknown Percent 2
l White	518 5 4	96 1 1 2	(under 2,500 gm) Births Percent 35 6.8 1 20.0	Bi rths 448 2 * 11	imester Percent 86 40	2nd Trimester Births Percent 60 12 3 60 * 1 8	Other/ Bi rths 10	'Unknown Percent 2
White Black/Afr. American American Indian	518 5 4	96 1 1 2 0	(under 2,500 gm) Births Percent 35 6.8 1 20.0 * 1 8.3	Bi rths 448 2 * 11	Percent Marital Status 232			
White Black/Afr. American American Indian	518 5 4 12 0 1	96 1 1 2 0 <. 5	(under 2,500 gm) Births Percent 35 6.8 1 20.0 * 1 8.3	Bi rths 448 2 * 11	imester Percent 86 40 92	2nd Trimester Births Percent 60 12 3 60 * 1 8	Other/Births 10 Visit	Percent 2
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	518 5 4 12 0 1 	96 1 1 2 0 <.5 	(under 2,500 gm) Births Percent 35 6.8 1 20.0 * 1 8.3	Bi rths 448 2 * 11	i mester Percent 86 40 . 92 Tri mest	2nd Trimester Births Percent 60 12 3 60 * 1 8	Other/Births 10 Visit	Percent 2
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	518 5 4 12 0 1 Fe Bi rths	96 1 2 0 <.5 ertility Rate	(under 2,500 gm) Births Percent 35 6.8 1 20.0 * 1 8.3	Bi rths 448 2 * 11	i mester Percent 86 40 . 92 Tri mest	2nd Trimester Births Percent 60 12 3 60 * 1 8	Other/Births 10 Visit	Percent 2
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15	518 5 4 12 0 1 Fe Bi rths	96 1 2 0 <.5 	(under 2,500 gm) Births Percent 35 6.8 1 20.0 * 1 8.3	Bi rths 448 2 * 11 1st Tr Bi rths	i mester Percent 86 40 . 92 Tri mest i mester Percent	2nd Trimester Births Percent 60 12 3 60 * 1 8 2 cer of First Prenatal 2nd Trimester Births Percent	Other/Births 10 * Vi si t Other/Births	Percent 2
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17	518 5 4 12 0 1 Fe Bi rths 0 11	96 1 1 2 0 <.5 	(under 2,500 gm) Births Percent 35 6.8 1 20.0 * 1 8.3	Bi rths 448 2 * 11	i mester Percent 86 40 . 92 Tri mest i mester Percent . 45	2nd Trimester Births Percent 60 12 3 60 * 1 8 1 8 er of First Prenatal 2nd Trimester Births Percent 5 45	Other/Births 10 * Vi si t Other/Births 1	Percent 2
White BI ack/Afr. American American Indian Hi spanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19	518 5 4 12 0 1 Fe Bi rths 0 11 36	96 1 2 0 <.5 	(under 2,500 gm) Births Percent 35 6.8 1 20.0 * 1 8.3 . * Low Birthweight (under 2,500 gm) Births Percent	Bi rths 448 2 * 11 1st Tr Bi rths 5 30	i mester Percent 86 40 . 92 Tri mest i mester Percent . 45 83	2nd Trimester Births Percent 60 12 3 60 * 1 8 1 8 ter of First Prenatal 2nd Trimester Births Percent 5 45 5 14	Other/Births 10 Visit Other/Births 1	Percent 2
White BI ack/Afr. American American Indian Hi spanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24	518 5 4 12 0 1 Fe Bi rths 0 11 36 189	96 1 2 0 <.5 	(under 2,500 gm) Births Percent 35 6.8 1 20.0 * 1 8.3 . * Low Birthweight (under 2,500 gm) Births Percent	Bi rths 448 2 * 11 1st Tr Bi rths 5 30 160	i mester Percent 86 40 . 92 Tri mest i mester Percent . 45 83 85	2nd Trimester Births Percent 60 12 3 60 * 1 8 1 8 ter of First Prenatal 2nd Trimester Births Percent 5 45 5 14 24 13	Other/Births 10 Visit Other/Births 1 1 5	Percent 2
White BI ack/Afr. American American Indian Hi spanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29	518 5 4 12 0 1 Fe Bi rths 0 11 36 189 146	96 1 2 0 <.5 	(under 2,500 gm) Births Percent 35 6.8 1 20.0 * 1 8.3 . * Low Birthweight (under 2,500 gm) Births Percent	Bi rths 448 2 * 11 1st Tr Bi rths 5 30 160 128	i mester Percent 86 40 . 92 Tri mest i mester Percent . 45 83 85 88	2nd Trimester Births Percent 60 12 3 60 * 1 8 1 8 2er of First Prenatal 2nd Trimester Births Percent 5 45 5 14 24 13 17 12	Other/Births 10 Vi si t Other/Births 1 5 1 5	Percent 2
White BI ack/Afr. American American Indian Hi spanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	518 5 4 12 0 1 Fe Bi rths 0 11 36 189 146 111	96 1 2 0 <.5 	(under 2,500 gm) Births Percent 35 6.8 1 20.0 * 1 8.3 . * * Low Birthweight (under 2,500 gm) Births Percent	Bi rths 448 2 * 11 1st Tr Bi rths 5 30 160 128 100	i mester Percent 86 40 . 92 Tri mest i mester Percent . 45 83 85 88 90	2nd Trimester Births Percent 60 12 3 60 * 1 8 1 8 2er of First Prenatal 2nd Trimester Births Percent 5 45 5 14 24 13 17 12 10 9	Other/Births 10 Visit Other/Births 1 1 5	Percent 2
White BI ack/Afr. American American Indian Hi spanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	518 5 4 12 0 1 Fe Bi rths 0 11 36 189 146 111 38	96 1 1 2 0 <.5 	(under 2,500 gm) Births Percent 35 6.8 1 20.0 * 1 8.3 . * * Low Birthweight (under 2,500 gm) Births Percent	Bi rths 448 2 * 11 1st Tr Bi rths 5 30 160 128 100 36	i mester Percent 86 40 . 92 Tri mest i mester Percent . 45 83 85 88 90 95	2nd Trimester Births Percent 60 12 3 60 * 1 8 1 8 2er of First Prenatal 2nd Trimester Births Percent 5 45 5 14 24 13 17 12 10 9 1 3	Other/Births 10 Vi si t Other/Births 1 5 1 5	Percent 2
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	518 5 4 12 0 1 Fe Bi rths 0 11 36 189 146 111 38 9	96 1 2 0 <.5 	(under 2,500 gm) Births Percent 35 6.8 1 20.0 * 1 8.3 . * * Low Birthweight (under 2,500 gm) Births Percent	Bi rths 448 2 * 11 1st Tr Bi rths 5 30 160 128 100	i mester Percent 86 40 . 92 Tri mest i mester Percent . 45 83 85 88 90	2nd Trimester Births Percent 60 12 3 60 * 1 8 1 8 2er of First Prenatal 2nd Trimester Births Percent 5 45 5 14 24 13 17 12 10 9	Other/Births 10 * Visit Other/Births 1 5 1	Percent 2
White BI ack/Afr. American American Indian Hi spanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	518 5 4 12 0 1 Fe Bi rths 0 11 36 189 146 111 38	96 1 1 2 0 <.5 	(under 2,500 gm) Births Percent 35 6.8 1 20.0 * 1 8.3 . * * Low Birthweight (under 2,500 gm) Births Percent	Bi rths 448 2 * 11 1st Tr Bi rths 5 30 160 128 100 36	i mester Percent 86 40 . 92 Tri mest i mester Percent . 45 83 85 88 90 95	2nd Trimester Births Percent 60 12 3 60 * 1 8 1 8 2er of First Prenatal 2nd Trimester Births Percent 5 45 5 14 24 13 17 12 10 9 1 3	Other/Births 10 * Visit Other/Births 1 5 1	Percent 2
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	518 5 4 12 0 1 Fe Bi rths 0 11 36 189 146 111 38 9	96 1 2 0 <.5 	(under 2,500 gm) Births Percent 35 6.8 1 20.0 * 1 8.3 * * Low Birthweight (under 2,500 gm) Births Percent	Bi rths 448 2 * 11 .* 1st Tr Bi rths 5 30 160 128 100 36 7	i mester Percent 86 40 . 92 . Tri mest i mester Percent . 45 83 85 88 90 95 78	2nd Trimester Births Percent 60 12 3 60 * 1 8 1 8 ter of First Prenatal 2nd Trimester Births Percent 5 45 5 14 24 13 17 12 10 9 1 3 2 22	Other/Births 10 . * Visit Other/Births 1 1 1 5 1 1	Percent 2

MORBIDITY			MOI	RTALLTY			
REPORTED CASES OF SELECTED DI SEASES*	Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.						
Di sease Campyl obacter Enteritis Gi ardi asis Hepatitis Type A Hepatitis Type B** Hepatitis NANB/C Legi onnaire's Lyme Measl es Meningitis, Aseptic Meningitis, Bacterial Mumps Pertussis Sal monel losis Shi gel losis	TOTAL DEATHS Crude Death Ra- Age 1-4 5-14 15-19 20-34 35-54 55-64 65-74 75-84	Deaths 2 2 2 11 33 39 63 146 172	Rate	Sel ected Underlying Cause Heart Disease (total) Ischemic heart diseas Cancer (total) Trachea/Bronchus/Lung Colorectal Female Breast Cerebrovascular Diseas Lower Resp. Disease Pneumonia & Influenza Accidents Motor vehicle Diabetes Infect./Parasitic Dis.	91 198 108 235 16		
Tuberculosis <5 * 2003 provisional data. ** Includes all positive HBsAg test results.	Infant Mortality Deaths Rate Total Infant 4 Neonatal 3 . Postneonatal 1 . Unknown Infant * Based on female population ALCOHOL AND DRUG ABUSE AS UNOR CONTRIBUTING CAUSE OF				ation. AS UNDERLYING		
Sexually Transmitted Disease Chlamydia Trachomatis 84 Genital Herpes 14 Gonorrhea <5 Syphilis 0	Race of Mother White Black Hispanic Laotian/Hmong Other/Unknown		: : :	Al cohol Other Drugs Both Mentioned * Includes tobacco use MOTOR VEHICL Note: These data are b	(see page 7). E CRASHES		
Children in Grades K-12 by Compliance Level Compliant 8,259 Non-compliant 44 Percent Compliant 99.5	Bi rthwei ght <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown Peri natal Mortal i ty Total Peri natal Neonatal Fetal	Deaths	Rate	Type of Motor Vehicle Crash Total Crashes Alcohol-Related With Citation: For OWI For Speeding Motorcyclist Bicyclist Pedestrian	Persons Persons Injured Killed 521 11 54 6 33 1 18 0 19 1 9 0		

			- 2003 HOSP	ITALIZATIONS					
	Per Aver	age	Charge	I		Per	Average		Charge
DI SEASE /	1,000 St	aў Average	Per	DI SEASE /		1,000	Staÿ	Average	
AGE GROUP Number				DI SEASE / AGE GROUP	Number		(Days)		
		,-, 9-				[-	()-/	3-	
Injury-Related: All	niury-Related: All		Al cohol -Rel ated						
Total 456	9. 9 4	6 \$12,554	\$125	Total	141	3. 1	5. 6	\$4, 689	\$14
Total 456 <18 34 18-44 88 45-64 103	3. 2 3	2 \$12, 477	\$40	18-44	83	5. 2	5. 5	\$4, 061	\$21
18_44 88	5. 5 4	5 \$16, 791	\$ 9 2	45-64	45	3. 8	5. 0	\$5, 240	\$20
10-44 00 15 64 103	8.6 4	0 \$11, 920	\$103	Pneumonia and I		3. 0	3. 0	Ψ 3 , 2 40	ΨΖΟ
65+ 231	30.6 5	0 \$11, 720	\$103 \$344	Total	299	6. 5	4. 1	\$7, 094	\$46
Injury: Hip Fracture	30. 0 3	U \$11, 234	\$344	<18	38	3. 6	2. 2	\$7, 094 \$3, 958	\$40 \$14
	1 1 /	1 612 020	\$19	45-64	აი ეი				
		1 \$13, 920		45-64	38 201	3. 2	3. 8	\$6, 510	\$21
65+ 59	7. 8 6	2 \$13, 643	\$107	1 001	201	26. 6	4. 6	\$7, 728	\$206
Injury: Poi soni ngs				Cerebrovascul ar				***	400
Total 34		3 \$4, 958	\$4	Total	136	3.0	4. 4	\$11, 190	\$33
18-44 15				45-64	25	2. 1		\$14, 961	\$31
				65+	109	14. 4	4. 4	\$10, 459	\$151
Psychi atri c				Chronic Obstructive Pulmonary Disease					
Total 331	7. 2 6	0 \$4, 881	\$35	Total	108	2. 3	3. 2	\$4, 832	\$11
<18 21	2. 0 16		\$21	<18	7		•		
18-44 216 45-64 54	13. 5	6 \$4, 451	\$60	18-44	18				
18-44 216 45-64 54	4.5 5	1 \$4, 422	\$20	45-64	30	2. 5	3. 2	\$5, 016	\$13
65+ 40	5.3 4	6 \$4, 907	\$26	65+	53	7. 0	3. 6	\$5, 115	\$36
		• •	•	Total <18 18-44 45-64 65+ Drug-Rel ated				. ,	·
Coronary Heart Disease				Total	43	0. 9	9. 2	\$6, 909	\$6
Total 329	7. 2 3	9 \$19, 932	\$143	18-44	25	1.6	8.8	\$6, 555	\$10
45-64 122	10. 2	4 \$22, 825	\$233				0.0	40,000	4.5
65+ 200		2 \$18, 111	\$480	Total Hospitali	zations				
200	20. 5	Σ Ψ10, 111	Ψ+00	Total	5, 970	129. 8	3. 7	\$8, 498	\$1, 103
Malignant Neoplasms (Ca	ancars). All			<18	867	82. 5	2. 7	\$3, 623	\$299
Total 198	4.3 4	8 \$15, 568	\$67	18-44	1, 459	91. 3	3. 2	\$6, 417	\$586
18-44	4. 3 4	0 \$10,000	Ф 07	45-64	1, 459	96. 9	3. Z 3. 5	\$10, 943	\$1,060
45-64 51	4. 3 4	6 \$17, 073	\$73	65+		90. 9	3. 3	\$10, 943 ¢10, 202	\$1,000
45-04 51	4.3 4	0 \$17,073		00+	2, 486	329. 5	4. 4	\$10, 282	\$3, 300
65+ 136	65+ 136 18.0 5.2 \$15,595 \$281		PREVENTABLE HOSPI TALI ZATI ONS*						
	Neoplasms: Female Breast (rates for female population)								
Total 16			•	Total	907	19. 7	3. 5	\$5, 831	\$115
Neoplasms: Colo-recta	31	E #40 405	440	<18	87	8. 3	1.8	\$3, 042	\$25
Total 30	0. 7 6	5 \$19, 100	\$12	<18 18-44 45-64	.91	5. 7	2. 4	\$4, 880	\$28
65+ 22	2. 9 7	4 \$18, 394	\$54	45-64	175	14. 6	3. 1	\$6, 035	\$88
Neoplasms: Lung				65+	554	73. 4	4. 1	\$6, 360	\$467
Total 12									
Di abetes				* Hospitalizations	s for cond	li ti ons	where ti	imely and	effecti ve
Total 60	1.3 3	7 \$6, 761	\$9	ambulatory care ca	an reduce	the lik	el i hood	of hospi	tal i zati on.
65+ 25	3. 3 4	0 \$6,743	\$22					•	İ
		•							İ
									ļ
'				'					'